

Design & Decorate with Architectural Trim, Mouldings & Doors

Interior Doors: Solid Shaker, Barn & Glass Panel

> Price List July 2023

18237 Woodbine Ave. Sharon, ON 905-727-1387

Prices subject to change without notice

STOCK & QUICK SHIP | Premium Primed Shaker Panel Doors

We are pleased to offer an extensive selection of Trimlite shaker door products. All doors up to 36" x 96" come with a 5-year warranty. All 80" MDF shaker panel doors come standard with a 3° factory bevel on both sides. Contact us for lead times on shaded items.

ltem		Thickness	Width	Height	Cost
		1-3/8"	16"-38"	80"	\$139.00
		1-3/8"	18", 24"-36"	84"	QS
	DOOR SLAB	1-3/8"	18", 24"-36"	96"	QS
	1-Panel 8401 Solid	1-3/4"	18", 24"-36"	80"	QS
	Engineered Shaker	1-3/4"	18", 24"-36"	84"	QS
		1-3/4"	18", 24"-36"	90"	QS
		1-3/4"	18", 24"-36"	96"	QS
	w/ Clear or DWL Glass	1-3/8"	24"-36"	80"	QS
	0.03. 0. 2772 0.000				
	BI-FOLD	1-3/8"	24"	79"	QS
	1-Panel 8401 Solid	1-3/8"	30"	79"	QS
	Engineered Shaker	1-3/8"	36"	79"	QS
		4.0/0"	400	00"	#0.40.00
	DOOR SYSTEM	1-3/8"	18"	80"	\$249.00
	1-Panel 8401 Solid	1-3/8"	24"	80"	\$259.00
	Pre-Machined, Handed Kit	1-3/8"	26"	80"	\$269.00
	Hinges & Stops Sold Separately	1-3/8"	28"-32"	80"	\$275.00
	Tilliges & Glops Gold Geparately	1-3/8"	36"	80"	\$289.00
		1-3/8"	16"-38"	80"	\$139.00
		1-3/8"	18", 24"-36"	84"	QS
	DOOR SLAB	1-3/8"	18", 24"-36"	96"	QS
	2-Panel 8402 Solid	1-3/4"	18", 24"-36"	80"	QS
	Engineered Shaker	1-3/4"	18", 24"-36"	84"	QS
	gsd. cd	1-3/4"	18", 24"-36"	90"	QS
		1-3/4"	18", 24"-36"	96"	QS
	w/ Clear or DWL Glass	1-3/8"	24"-36"	80"	SO
	BI-FOLD	1-3/8"	24"	79"	QS
	2-Panel 8402 Solid	1-3/8"	30"	79"	QS
	Engineered Shaker	1-3/8"	36"	79"	QS
	DOOD OVOTEL	1-3/8"	18"	80"	\$259.00
	DOOR SYSTEM	1-3/8"	24"	80"	\$275.00
	2-Panel 8402 Solid Pre-Machined, Handed Kit	1-3/8"	26"	80"	\$275.00
	Fre-iviacililled, Handed Kit	1-3/8"	28"-32"	80"	\$289.00
	Hinges & Stops Sold Separately	1-3/8"	36"	80"	\$299.00

N Fire rated doors also available as special order

QS = Quick Ship SO = Special Order


Door Systems consist of one Primed FJ jamb kit and door which is pre-matched for 3 hinges, a standard bore and strike. The jamb header is to be trimmed to length on site. Hinges and door stop are sold separately.

Premium Primed Shaker Panel Doors | STOCK & QUICK SHIP

1-3/8" 16"-38" 80" \$139.00	ltem		Thickness	Width	Height	Cost
DOOR SLAB 3-Panel 8433 Solid Engineered Shaker 1-3/4" 18", 24"-36" 80" QS 1-3/4" 18", 24"-36" 84" QS 1-3/4" 18", 24"-36" 90" QS 1-3/4" 18", 24"-36" 80" QS 1-3/8" 30" 79" QS 1-3/8" 30" 79" QS 1-3/8" 36" 79" QS 1-3/8" 18", 24"-36" 84" QS 1-3/4" 18", 24"-36" 84" SO 1-3/4" 18", 24"-36" 84" SO 1-3/4" 18", 24"-36" 90" SO 1-3/4" 18", 24"-36" 90" SO 1-3/4" 18", 24"-36" 80" QS 1-3/8" 36" 79" QS 1-3/8" 36" 30" 3159.00 30 30 30 30 30 30 30			1-3/8"	16"-38"	80"	\$139.00
3-Panel 8433 Solid Engineered Shaker 1-3/4" 18", 24"-36" 80" QS 1-3/4" 18", 24"-36" 90" QS 1-3/4" 18", 24"-36" 96" QS W/ Clear or DWL Glass 1-3/8" 24"-36" 80" QS BI-FOLD 3-Panel 8433 Solid Engineered Shaker 1-3/8" 30" 79" QS 1-3/8" 30" 79" QS 1-3/8" 36" 79" QS 1-3/8" 18", 24"-36" 80" S159.00 1-3/8" 18", 24"-36" 80" SO 1-3/8" 18", 24"-36" 80" SO BI-FOLD 1-3/8" 18", 24"-36" 80" SO 1-3/4" 18", 24"-36" 80" SO W/ Clear or DWL Glass 1-3/4" 18", 24"-36" 96" SO W/ Clear or DWL Glass 1-3/8" 36" 79" QS BI-FOLD 4-Panel 8444 Solid Engineered Shaker 1-3/4" 18", 24"-36" 96" SO W/ Clear or DWL Glass 1-3/8" 36" 79" QS			1-3/8"	18", 24"-36"	84"	QS
Engineered Shaker 1-3/4" 18", 24"-36" 90" QS 1-3/8" 24"-36" 80" QS BI-FOLD 3-Panel 8433 Solid Engineered Shaker 1-3/8" 30" 79" QS 1-3/8" 16"-38" 80" \$159.00 1-3/8" 18", 24"-36" 84" QS 1-3/8" 18", 24"-36" 84" QS 1-3/8" 18", 24"-36" 84" QS 1-3/4" 18", 24"-36" 80" SO BI-FOLD 4-Panel 8444 Solid Engineered Shaker 1-3/4" 18", 24"-36" 84" SO W/ Clear or DWL Glass 1-3/8" 24"-36" 80" QS BI-FOLD 4-Panel 8444 Solid Engineered Shaker 1-3/8" 24"-36" 80" QS 1-3/8" 30" 79" QS 1-3/8" 30" 79" QS 1-3/4" 18", 24"-36" 80" QS DOOR SLAB 1-3/8" 30" 79" QS 1-3/8" 36" 79" QS		DOOR SLAB	1-3/8"	18", 24"-36"	96"	QS
1-3/4" 18", 24"-36" 90" QS		3-Panel 8433 Solid	1-3/4"	18", 24"-36"	80"	QS
## Clear or DWL Glass 1-3/4"		Engineered Shaker	1-3/4"	18", 24"-36"	84"	QS
BI-FOLD 1-3/8" 24" 79" QS QS			1-3/4"	18", 24"-36"	90"	QS
BI-FOLD 1-3/8" 24" 79" QS 3-Panel 8433 Solid 1-3/8" 36" 79" QS 1-3/8" 36" 79" QS 1-3/8" 16"-38" 80" \$159.00 1-3/8" 18", 24"-36" 84" QS 1-3/4" 18", 24"-36" 84" SO 1-3/4" 18", 24"-36" 84" SO 1-3/4" 18", 24"-36" 80" SO 1-3/4" 18", 24"-36" 96" SO 1-3/8" 24"-36" 80" QS 1-3/8" 30" 79" QS 1-3/8" 36" 36" 79" QS 1-3/8" 36" 3			1-3/4"	18", 24"-36"	96"	QS
3-Panel 8433 Solid Engineered Shaker 1-3/8" 36" 79" QS 1-3/8" 16"-38" 80" \$159.00 1-3/8" 18", 24"-36" 96" QS 4-Panel 8444 Solid Engineered Shaker 1-3/4" 18", 24"-36" 96" SO 4-Panel 8444 Solid Engineered Shaker 1-3/4" 18", 24"-36" 96" SO 4-Panel 8444 Solid Engineered Shaker 1-3/8" 24"-36" 96" SO 4-Panel 8444 Solid Engineered Shaker 1-3/8" 24"-36" 80" QS 1-3/8" 30" 79" QS 1-3/8" 36" 79" QS 1-3/8" 36" 79" QS 1-3/8" 36" 79" QS 1-3/8" 18", 24"-36" 84" QS 1-3/4" 18", 24"-36" 80" SO 1-3/4" 18", 24"-36" 96" QS 1-3/4" 18", 24"-36" 96" SO		w/ Clear or DWL Glass	1-3/8"	24"-36"	80"	QS
3-Panel 8433 Solid Engineered Shaker 1-3/8" 36" 79" QS 1-3/8" 16"-38" 80" \$159.00 1-3/8" 18", 24"-36" 96" QS 4-Panel 8444 Solid Engineered Shaker 1-3/4" 18", 24"-36" 96" SO 4-Panel 8444 Solid Engineered Shaker 1-3/4" 18", 24"-36" 96" SO 4-Panel 8444 Solid Engineered Shaker 1-3/8" 24"-36" 96" SO 1-3/8" 30" 79" QS 80" SO 1-3/4" 18", 24"-36" 96" SO 1-3/8" 30" 79" QS 1-3/8" 36" 79" QS 1-3/8" 36" 79" QS 1-3/8" 18", 24"-36" 84" QS 1-3/4" 18", 24"-36" 96" QS 1-3/4" 18", 24"-36" 80" SO 1-3/4" 18", 24"-36" 84" SO 1-3/4" 18", 24"-36" 96" SO			•	-		
3-Panel 8433 Solid Engineered Shaker 1-3/8" 36" 79" QS 1-3/8" 36" 79" QS 1-3/8" 16"-38" 80" \$159.00 1-3/8" 18", 24"-36" 84" QS 1-3/4" 18", 24"-36" 80" SO 1-3/4" 18", 24"-36" 96" SO 1-3/4" 18", 24"-36" 80" QS 1-3/8" 24"-36" 80" SO 1-3/8" 24"-36" 80" SO 1-3/8" 24"-36" 80" QS 1-3/8" 24"-36" 80" QS 1-3/8" 24"-36" 96" SO 1-3/8" 30" 79" QS 1-3/8" 36" 79" QS 1-3/8" 36" 79" QS 1-3/8" 36" 79" QS 1-3/8" 18", 24"-36" 80" SO 1-3/8" 18", 24"-36" 80" SO 1-3/8" 18", 24"-36" 84" QS 1-3/8" 18", 24"-36" 84" QS 1-3/8" 18", 24"-36" 84" SO 1-3/4" 18", 24"-36" 80" SO 1-3/4" 18", 24"-36" 80" SO 1-3/4" 18", 24"-36" 80" SO 1-3/4" 18", 24"-36" 96" QS 1-3/4" 18", 24"-36" 96" SO 1-3/4" 18", 24"-36" 96" SO		BI-FOLD	1-3/8"	24"	79"	QS
Took			1-3/8"	30"	79"	QS
1-3/8" 16"-38" 80" \$159.00			1-3/8"	36"	79"	QS
1-3/8" 18", 24"-36" 84" QS						
DOOR SLAB 4-Panel 8444 Solid Engineered Shaker 1-3/4" 18", 24"-36" 96" QS 1-3/4" 18", 24"-36" 80" SO 1-3/4" 18", 24"-36" 96" SO 1-3/8" 24" 79" QS 1-3/8" 30" 79" QS 1-3/8" 36" 79" QS 1-3/8" 36" 79" QS 1-3/8" 16"-38" 80" \$159.00 1-3/8" 18", 24"-36" 96" QS 1-3/4" 18", 24"-36" 84" QS 1-3/4" 18", 24"-36" 84" SO 1-3/4" 18", 24"-36" 84" SO 1-3/4" 18", 24"-36" 84" SO 1-3/4" 18", 24"-36" 96" SO						
## A-Panel 8444 Solid Engineered Shaker 1-3/4" 18", 24"-36" 80" SO -3/4" 18", 24"-36" 90" SO -3/4" 18", 24"-36" 96" SO -3/4" 18", 24"-36" 96" SO -3/4" 18", 24"-36" 96" SO -3/8" 24" 79" QS -3/8" 30" 79" QS -3/8" 36" 79" QS -3/8" 36" 79" QS -3/8" 16"-38" 80" \$159.00 -3/8" 18", 24"-36" 84" QS -3/4" 18", 24"-36" 80" SO -3/4" 18", 24"-36" 80" SO -3/4" 18", 24"-36" 80" SO -3/4" 18", 24"-36" 84" SO -3/4" 18", 24"-36" 84" SO -3/4" 18", 24"-36" 90" SO						
Total Part Tot		DOOR SLAB				
1-3/4" 18", 24"-36" 90" SO						
1-3/4" 18", 24"-36" 96" SO		Engineered Shaker	1-3/4"	18", 24"-36"	84"	SO
BI-FOLD 4-Panel 8444 Solid Engineered Shaker DOOR SLAB 5-Panel 8405 Solid Engineered Shaker BI-FOLD 4-Panel 8444 Solid Engineered Shaker 1-3/8" 1-3/8" 1-3/8" 1-3/8" 1-3/8" 1-3/8" 1-3/8" 1-3/8" 1-3/8" 1-3/8" 1-3/8" 1-3/8" 1-3/8" 1-3/8" 1-3/4" 18", 24"-36" 96" QS 1-3/4" 18", 24"-36" 90" SO			1-3/4"	18", 24"-36"	90"	SO
BI-FOLD 4-Panel 8444 Solid Engineered Shaker 1-3/8" 30" 79" QS 1-3/8" 36" 79" QS 1-3/8" 16"-38" 80" \$159.00 1-3/8" 18", 24"-36" 96" QS 1-3/4" 18", 24"-36" 80" SO 1-3/4" 18", 24"-36" 84" SO 1-3/4" 18", 24"-36" 90" SO 1-3/4" 18", 24"-36" 90" SO 1-3/4" 18", 24"-36" 90" SO			1-3/4"	18", 24"-36"	96"	SO
## A-Panel 8444 Solid Engineered Shaker 1-3/8" 30" 79" QS		w/ Clear or DWL Glass	1-3/8"	24"-36"	80"	QS
## A-Panel 8444 Solid Engineered Shaker 1-3/8" 30" 79" QS						
A-Panel 8444 Solid Engineered Shaker 1-3/8" 30" 79" QS		BI-FOLD	1-3/8"	24"	79"	QS
DOOR SLAB 5-Panel 8405 Solid Engineered Shaker 1-3/8" 16"-38" 18", 24"-36"			1-3/8"	30"	79"	QS
DOOR SLAB 5-Panel 8405 Solid Engineered Shaker 1-3/8" 18", 24"-36" 84" QS 1-3/8" 18", 24"-36" 96" QS 1-3/4" 18", 24"-36" 80" SO 1-3/4" 18", 24"-36" 90" SO 1-3/4" 18", 24"-36" 90" SO		Engineered Shaker	1-3/8"	36"	79"	QS
DOOR SLAB 5-Panel 8405 Solid Engineered Shaker 1-3/8" 18", 24"-36" 84" QS 1-3/8" 18", 24"-36" 96" QS 1-3/4" 18", 24"-36" 80" SO 1-3/4" 18", 24"-36" 90" SO 1-3/4" 18", 24"-36" 90" SO			4.0/0"	40" 00"	00"	0.450.00
DOOR SLAB 5-Panel 8405 Solid Engineered Shaker 1-3/8" 18", 24"-36" 96" QS 1-3/4" 18", 24"-36" 80" SO 1-3/4" 18", 24"-36" 90" SO 1-3/4" 18", 24"-36" 90" SO						
5-Panel 8405 Solid Engineered Shaker 1-3/4" 18", 24"-36" 80" SO 1-3/4" 18", 24"-36" 84" SO 1-3/4" 18", 24"-36" 90" SO 1-3/4" 18", 24"-36" 96" SO						
Engineered Shaker 1-3/4" 18", 24"-36" 84" SO 1-3/4" 18", 24"-36" 90" SO 1-3/4" 18", 24"-36" 96" SO						
1-3/4" 18", 24"-36" 90" SO 1-3/4" 18", 24"-36" 96" SO						
1-3/4" 18", 24"-36" 96" SO		Engineered Shaker		-		
4 0 (0)						
w/ Clear or DWL Glass 1-3/8" 24"-36" 80" QS						
		w/ Clear or DWL Glass	1-3/8"	24"-36"	80"	QS
BI-FOLD 1-3/8" 24" 79" QS		BI-FOLD	1-3/8"	24"	79"	QS
5-Panel 8405 Solid 1-3/8" 30" 79" QS						
Engineered Shaker 1-3/8" 36" 79" QS		Engineered Shaker	1-3/8"	36"	79"	QS

N Fire rated doors also available as special order

QS = Quick Ship SO = Special Order



DIMENSIONS:

Thickness: 1-3/8" & 1-3/4"

Panels: 1/2" Flat Panel (1-3/8" door), 3/4" Flat Panel (1-3/4" door)

Door stiles: 4-7/16" Bifold stiles: 2"


Top rail: 4-5/16" **Cross rails:** 4-3/8" **Lock rail:** 7-3/8" Door bottom rail: 9-3/16" Bi-fold bottom rail: 7-15/16"

SPECIAL ORDER | Stain Grade Shaker Panel Doors

Trimlite's Shaker program also includes a wide selection of stain grade options and panel layouts. Available options in 1-3/8" and 1-3/4" thicknesses, 6/8, 7/0, 7/6 and 8/0 heights. Custom sizes and other species are also available. Contact us for more information.



Applied 2-Step Bead | SPECIAL ORDER







Specifications

Trimlite's 2-Step Flat Bead profile offers a unique take on a traditional shaker door. The 1-9/16" flat bead steps down from the shaker style door, giving the profile depth and dramatic shadow lines while still maintaining its charm. Available in both the 1-panel (#8491) and 2-panel (#8492) door.


Note: Custom applied bead will add additional time for processing. Contact us for more information.

SPECIAL ORDER | French/Glass Doors





Available in a variety of glass options and lite configurations, our French Doors provide a unique look for your home.

Lite Configurations



Mullion Configurations





8800 Series **TDL Shaker Bead**

Available in 1-3/8" and 1-3/4" thicknesses and 6/8, 7/0, 7/6, or 8/0 heights.

Custom sizes available. Some limitations apply. Contact your dealer for more information.

"Z-Style"



8401BZ Knotty Alder



8401BZ Primed

"K-Style"



8401BK Knotty Alder



8402BK Primed

- Trimlite's Quick Ship Barn Doors come with a diagonal brace on both sides
- Pre-routed groove in bottom rail for the T-floor guide
- Quick Ship 84" barn doors come in a 36", 42", and 48" widths
- Quick Ship 96" doors come in 42" width

Custom sizes, species and designs available as special order. Contact us for more information.



Barn Door Tracks





Rustic Bent Strap






Contemporary Top Mount


- Multiple track lengths available
- Nylon ball-bearing rollers for quiet operation
- Ability to connect tracks for double doors
- All hardware available in either Matte Black or Brushed Stainless Steel
- Contact us for pricing and availability

Pocket Door Kit



Soft Close Kits





Bypass Brackets





Bar Pulls (Round)

Available in Stainless Steel & Matte Black 16" 24" 36" 36" 60" 60"

Hinges



Rectangular Flush Pulls




Handles



Knobs



SPECIAL ORDER | Router Carve Doors





ltem		Thickness	Width	Height	Cost
		1-3/8"	18"-28"	80"	\$89.00
	DOOR SLAB	1-3/8"	30"	96"	\$85.00
	Primed Flush Hollow Core Slab	1-3/4"	32"	80"	\$89.00
		1-3/4"	34"-36"	84"	\$97.00
			T		1
	50050145	1-3/8"	24"	80"	\$179.00
	DOOR SLAB Primed Flush	1-3/8"	28"	80"	\$179.00
	Pro-Core Slab	1-3/8"	30"	80"	\$179.00
		1-3/8"	32"	80"	\$185.00
			I		T
	BI-FOLD Primed Flush Hollow Core Bifold	1-3/8"	24"	80"	\$112.00
		1-3/8"	36"	80"	\$133.00







18237 Woodbine Ave. Sharon, ON 905-727-1387 4240 Harvester Rd Burlington, ON 905-335-1559